

Camere axiale

RIK-3240 | RIK-3240/RO | RIK-5570



Camere rotative

RSK-60100 | RSK-78110



RIEZLER

Camere axiale color

RIK-3240

RIK-3240/RO

RIK-5570

domeniu de aplicare	DN 40 - DN 150	DN 40 - DN 150	DN 70 - DN 400
adecvat pentru coturi (87°)	de la DN50	de la DN50	de la DN100
compensare orizontala automata	✗	✓	✓
etanseitate	pana la 3 bar	pana la 3 bar	pana la 5 bar
material	otel inoxidabil	otel inoxidabil	otel inoxidabil
conectabil	✓	✓	✓
camera color cu rezolutie ridicata	✓ 420 linii	✓ 420 linii	✓ 480 linii
iluminare performanta	16 LEDs	16 LEDs	12 LEDs
lentila	90°	90°	97°
focus	focus fix (5cm - ∞)	focus fix (5cm - ∞)	focus fix (5cm - ∞)
dimensiuni (diametru/lungime)	32 mm / 40 mm	32 mm / 40 mm	55 mm / 70 mm
greutate	ca. 150 g	ca. 190 g	ca. 550 g

RIK-3240 / RIK-3240/RO




RIK-5570



Accesorii camera

manson ghidare



perii ghidare



sanii ghidare




Camere color rotative

RSK-60100 RSK-78110

domeniu de aplicare	DN 70 - DN 400	DN 100 - DN 400
adecvat pentru coturi (87°)	de la DN100	de la DN100
interval de rotatie	± 115°	± 110°
etanseitate	pana la 5 bar	pana la 5 bar
material	aluminiu - inox	aluminiu - inox
conectabil	✓	✓
camera color cu rezolutie ridicata	✓ 420 linii	✓ 480 linii
iluminare performanta	18 LEDs	18 LEDs
lentila	68°	97°
focus	Electric (1cm - ∞)	Electric (1cm - ∞)
dimensiuni (diametru/lungime)	60 mm / 100 mm	78 mm / 110 mm
greutate	ca. 680 g	ca. 950 g
laser paralel	✓	✗

RSK-60100



RSK-78110



control intern pentru presiune
compensare orizontala automata
pozitie - 0 automata
functie automata de rotire dreapta/stanga 90°
functie automata 360°

telecomanda control



modul satelit



transmitator locatie



Reprezentant autorizat in Romania

BIO TECH

Bucuresti: Cpt. Ion Vasilescu 5, Sector 2

Constanta: Bd. Mamaia, 68

(+4) 721 902 102

tehnic@bio-tech.ro

www.bio-tech.ro

RIEZLER Inspektionssysteme GmbH & Co. KG