

Tambur de cablu manual

KTM-150



Tambur de cablu automat

KTU-180 | KTA-250



RIEZLER

Tambur de cablu

KTM-150

KTU-180

KTA-250


versiune	manual	semi-automat	automat
cablu video, robust armat cu Kevlar, rezistent la abraziune si acizi	50 - 150 m	100 - 180 m	150 - 250 m
unitate de control integrata in tambur	✗	✓	✓
contor digital	✓	✓	✓
sincronizare cu tractorul sau operare manuala	✓	✓	✓
forta de tractiune continua, ajustabila	✗	✓	✓
ghidaj retur cablu automat	✗	✗	✓
alimentare prin unitatea de control	✓	✓	✓
dimensiuni (L x W x H)	480 x 260 x 470 mm	677 x 289 x 476 mm	880 x 350 x 480 mm
greutate	ca. 15 kg (cu 150 m cablu)	ca. 38 kg (cu 180 m cablu)	ca. 50 kg (cu 250 m cablu)

Inspectie puturi

Tambururile de cablu Riezler sunt adecvate pentru utilizarea cu sistemele cu tractor, precum si pentru inspectia in puturi.

Dezoltarea sistemului

In combinatie cu un cablu de fibra de sticla, tamburul de cablu poate fi utilizat, de asemenea, pentru inspectii prin impingere.



Configuratie generala

Ca sistem optim pentru o utilizare simpla si mobila, configuratia cea mai utilizata de clientii nostri este: unitate de control MSE-500, tambur manual KTM-150 si tractor FWL-100.



Tambur de cablu manual
KTM-150



Tambur de cablu
semi-automat
KTU-180



Tambur de cablu
automat
KTA-250



Reprezentant autorizat in Romania

BIO TECH

Bucuresti: Cpt. Ion Vasilescu 5, Sector 2

Constanta: Bd. Mamaia, 68

(+4) 721 902 102

tehnic@bio-tech.ro

www.bio-tech.ro

RIEZLER Inspektionssysteme GmbH & Co. KG